UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

ASSISTANT SECRETARY OF COMMERCE AND COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450

Alexandria, VA 22313-1450

May 1, 2012

EXXONMOBIL CHEMICAL COMPANY 5200 BAYWAY DRIVE P.O. BOX 2149

BAYTOWN TX 77522-2149

Patent No.

: 7,217,675 B2

Inventor(s)

: Gregory Adam Solan, et al.

Issued

: May 15, 2007

For

CATALYST COMPOSITION

Doc. No.:

2003B023

To Whom It May Concern:

The Certificate of Correction issued on <u>May 1, 2012</u>, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The column and line number identifying location of error in patent was not printed in the issued cofc.

coic.	
Correction displays:	Correction should be shown as:
Column 49, claim 2, line 1	Column 49, line 38 (Claim 2, line 1)
Column 50, claim 3, line 1	Column 50, line 11 (Claim 3, line 1)
Column 50, claim 4, line 1	Column 50, line 46 (Claim 4, line 1)
Column 51, claim 5, line 1	Column 51, line 25 (Claim 5, line 1)
Column 52, claim 6, line 1	Column 52, line 1 (Claim 6, line 1)
Column 52, claim 7, line 1	Column 52, line 29 (Claim 7, line 1)
Column 53, claim 9, line 1	Column 53, line 11 (Claim 9, line 1)
Column 53, claim 10, line 1	Column 53, line 37 (Claim 10, line 1)
Column 53, claim 11, line 1	Column 53, line 39 (Claim 11, line 1)
Column 53, claim 12, line 1	Column 53, line 41 (Claim 12, line 1)
Column 54, claim 13, line 1	Column 54, line 4 (Claim 13, line 1)

A new certificate of correction will be issued listing the Column and line number location where error appears in the printed patent.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson (571)272-0483 For Mary F. Diggs, Supervisor Decisions & Certificates of Correction Branch (703) 756-1580